

Patient ID SA00006794	Patient Name SAMPLEREPORT, MTDNX N	Birth Date 1966-09-01	Gender M	Age 49
Order Number SA00006794	Client Order Number SA00006794	Ordering Physician Client, Client	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 10 Feb 2016 10:00		

Adulterants Survey, CoC, U

Creatinine, U	SDL	pH	SDL
200.0 mg/dL		7.0	
Specific Gravity	SDL	Oxidants	SDL
1.034		Negative	Reference Value Cutoff: 200 mg/L
		Received: 11 Feb 2016 11:37	Reported: 11 Feb 2016 12:11

Methadone Confirmation, CoC, U

Methadone Interpretation	SDL	Methadone-by GC-MS	SDL
Negative.		Negative ng/mL	Reference Value Cutoff: 100
Methadone Immunoassay Screen	SDL	Chain of Custody	SDL
Negative	Reference Value Cutoff: 300	Chain of custody documents are on file in the Mayo Toxicology Laboratory.	
EDDP-by GC-MS	SDL	Received: 11 Feb 2016 11:37	Reported: 11 Feb 2016 13:54
Negative ng/mL	Reference Value Cutoff: 100		

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901