

Patient ID <b>0000001</b>	Patient Name <b>SAMPLEREPOR, FIGA</b>	Birth Date <b>1975-12-23</b>	Sex <b>M</b>	Age <b>47</b>
Order Number <b>RI20230823A0208</b>	Client Order Number <b>RI20230823A0208</b>	Ordering Physician	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>23 Aug 2023 19:31</b>		

**Anti-IgA**

**High**
**225.00 U/mL**
**Y165**
**Reference Value  
<99**

Patients with IgG antibodies against IgA may suffer from anaphylactoid reactions when given IVIG that contains small quantities of IgA. In one study (Clinical Immunology 2007;122:156) five out of eight patients with IgG anti-IgA antibodies developed anaphylactoid reactions when IVIG was administered. \*This test was developed and its performance characteristics determined by Eurofins Viracor. It has not been cleared or approved by the U.S. Food and Drug Administration.

FLAG Interpretation: A = Abnormal, H = High, L = Low

**Received:** 30 Aug 2023 15:36

**Reported:** 01 Sep 2023 11:14

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y165	Eurofins Viracor	18000 W. 99th Street, Suite 10, Lenexa, KS 66219		