






Patient ID SA00139906	Patient Name TESTINGATLAS, CYPAN	Birth Date 1977-02-01	Gender F	Age 43
Order Number SA00139906	Client Order Number SA00139906	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 23 Oct 2020 05:35		

Cytokine Panel, P

IL-6	6.5 pg/mL	SDL Reference Value <5.0	IFN-beta	<20.0 pg/mL	SDL Reference Value <20.0
 High			IL-1 beta	<20.0 pg/mL	SDL Reference Value <20.0
IL-10	11.2 pg/mL	SDL Reference Value <7.0	IFN-gamma	<60.0 pg/mL	SDL Reference Value <60.0
 High			MIP-1 alpha	<220 pg/mL	SDL Reference Value <220
MCP-1	349 pg/mL	SDL Reference Value <198	IL-2 receptor alpha soluble	<40.0 pg/mL	SDL Reference Value <=959
 High			IL-18	241 pg/mL	¹ SDL Reference Value <=468
GM-CSF	>780 pg/mL	SDL Reference Value <15.0	Received:	23 Oct 2020 08:28	Reported: 23 Oct 2020 08:55
 High					
IFN-alpha	>1500 pg/mL	SDL Reference Value <20.0			
 High					
TNF	<10.0 pg/mL	SDL Reference Value <10.0			

Laboratory Notes

- ¹ This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592