



Patient ID SA00105456	Patient Name SAMPLEREPOR, EEST	Birth Date 1945-12-23	Gender F	Age 72
Order Number SA00105456	Client Order Number SA00105456	Ordering Physician CLIENT, CLIENT	Report Notes	
Account Information C7036729 Mayo Medical Laboratories - SI Unit Tes...		Collected 23 Mar 2018 08:08		

Estradiol, Mass Spectrometry, S

1 SDL

100 pg/mL

REFERENCE VALUE

Premenopausal: 15–350 (E2 levels vary widely through the menstrual cycle.) Postmenopausal: <10

SI Unit Conversions

Result

367 pmol/L

REFERENCE VALUE

Premenopausal 55–1285

Postmenopausal <37

Received: 23 Mar 2018 11:29

Reported: 23 Mar 2018 12:05

Test Environment
Standard Template

Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592