

Patient ID <b>321</b>	Patient Name <b>IMPLEMENTATION, TEST T</b>	Birth Date <b>1973-05-01</b>	Sex <b>F</b>	Age <b>50</b>
Order Number <b>X100457664</b>	Client Order Number <b>X100457664</b>	Ordering Physician <b>TESTING</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>08 Mar 2024 05:00</b>		

## Movement, Autoimm/Paraneo, S

### Movement Disorder Interp, S

MCR

No informative autoantibodies were detected in this evaluation. However, a negative result does not exclude an autoimmune movement disorder. Sensitivity is enhanced by testing both serum and CSF.

### IFA Notes

MCR

None.

Result Name	Result	Unit	Reference Value	Performing Site
AMPA-R Ab CBA, S	Negative		Negative	1 MCR
Amphiphysin Ab, S	Negative		Negative	1 MCR
AGNA-1, S	Negative		Negative	1 MCR
ANNA-1, S	Negative		Negative	1 MCR
ANNA-2, S	Negative		Negative	1 MCR
ANNA-3, S	Negative		Negative	1 MCR
AP3B2 IFA, S	Negative		Negative	1 MCR
CASPR2-IgG CBA, S	Negative		Negative	1 MCR
CRMP-5-IgG Western Blot, S	Negative		Negative	1 MCR
DPPX Ab CBA, S	Negative		Negative	1 MCR
GABA-B-R Ab CBA, S	Negative		Negative	1 MCR
GAD65 Ab Assay, S	0.00	nmol/L	≤ 0.02	1 MCR
GFAP IFA, S	Negative		Negative	1 MCR
GRAF1 IFA, S	Negative		Negative	1 MCR
IgLON5 CBA, S	Negative		Negative	1 MCR
ITPR1 IFA, S	Negative		Negative	1 MCR
KLHL11 Ab CBA, S	Negative		Negative	1 MCR
LGI1-IgG CBA, S	Negative		Negative	1 MCR
mGluR1 Ab IFA, S	Negative		Negative	1 MCR
Neurochondrin IFA, S	Negative		Negative	1 MCR
NIF IFA, S	Negative		Negative	1 MCR
NMDA-R Ab CBA, S	Negative		Negative	1 MCR
P/Q-Type Calcium Channel Ab	0.00	nmol/L	≤0.02	1 MCR
PCA-1, S	Negative		Negative	1 MCR
PCA-2, S	Negative		Negative	1 MCR

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292



Patient ID <b>321</b>	Patient Name <b>IMPLEMENTATION, TEST T</b>	Birth Date <b>1973-05-01</b>	Sex <b>F</b>	Age <b>50</b>
Order Number <b>X100457664</b>	Client Order Number <b>X100457664</b>	Ordering Physician <b>TESTING</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>08 Mar 2024 05:00</b>		

Result Name	Result	Unit	Reference Value	Performing Site
PCA-Tr, S	Negative		Negative	1 MCR
PDE10A Ab IFA, S	Negative		Negative	1 MCR
Septin-5 IFA, S	Negative		Negative	1 MCR
Septin-7 IFA, S	Negative		Negative	1 MCR
TRIM46 Ab IFA, S	Negative		Negative	1 MCR

Received: 12 Mar 2024 15:04

Reported: 12 Mar 2024 15:21

Test Environment  
ETAB Template

**Laboratory Notes**

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Site Legend**

Code	Laboratory	Address	Lab Director	CLIA Certificate
MCR	Mayo Clinic Laboratories - Rochester Main Campus	200 First Street SW, Rochester, MN 55905	William G. Morice M.D. Ph.D	24D0404292