

Patient ID <b>SA00004083</b>	Patient Name <b>SAMPLEREPORT, CLOM A</b>	Birth Date <b>1966-09-09</b>	Gender <b>M</b>	Age <b>49</b>
Order Number <b>SA00004083</b>	Client Order Number <b>SA00004083</b>	Ordering Physician <b>CLIENT, CLIENT</b>	Report Notes	
Account Information <b>C7028846 DLMP Rochester</b>		Collected <b>19 Oct 2015 12:00</b>		

## Clomipramine, S

### Clomipramine + Norclomipramine


**200 ng/mL**

Low

SDL

**Reference Value**  
230–450

### Norclomipramine

**100 ng/mL**

SDL

**Reference Value**  
Not applicable

**Received:** 20 Oct 2015 14:16

**Reported:** 20 Oct 2015 14:50

### Clomipramine

**100 ng/mL**

SDL

**Reference Value**  
Not applicable

### Laboratory Notes

- 1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

### Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592