

Patient ID SA00172968	Patient Name SAMPLEREPORT, COVSQ ABNORMAL	Birth Date 1984-04-14	Sex F	Age 40
Order Number SA00172968	Client Order Number SA00172968	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 19 Nov 2024 02:02		

SARS-CoV-2 Spike Ab, Semi-Quant, S

SARS-CoV-2 Spike Ab, Interp, S

SDL

Positive

Antibodies to the SARS-CoV-2 spike glycoprotein detected. Results suggest recent or prior SARS-CoV-2 infection and/or vaccination. Serologic results should not be used to diagnose recent SARS-CoV-2 infection as antibodies remain detectable for months to years after infection/vaccination.

SARS-CoV-2 Spike Ab, Quant, S

SDL

10 U/mL

ADDITIONAL INFORMATION

Testing was performed using the Roche Elecsys Anti-SARS-CoV-2 S Reagent assay from Roche Diagnostics, which has received Emergency Use Authorization (EUA) by the U.S. Food and Drug Administration.

Fact sheets for this Emergency Use Authorization (EUA) assay can be found at the following links:

For Healthcare Providers:

<https://www.fda.gov/media/144035/download>

For Patients:

<https://www.fda.gov/media/144036/download>

Received: 20 Nov 2024 08:13

Reported: 20 Nov 2024 08:19

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55905	Nikola Baumann Ph.D.	24D1040592