



MAYO CLINIC LABORATORIES

Cocaine and Metabolite Confirmation, Urine

Patient ID SA00007382	Patient Name SAMPLEREPORT, COKEU N		Birth Date 1966-09-09	Gender M	Age 49
Order Number SA00007382	Client Order Number SA00007382	Ordering Physician CLIENT, CLIENT	Report Notes		
Account Information C7028846 DLMP Roches	ter	Collected 07 Mar 2016 13:00			

Cocaine and metabolite Conf, U

Cocaine Interpretation SDL Cocaine-by GC/MS SDL

Negative.

ADDITIONAL INFORMATION

This report is intended for use in clinical monitoring and management of patients. It is not intended for use in employment-related testing.

Negative ng/mL Reference Value Cutoff: 50

Benzoylecgonine-by GC/MS

Negative ng/mL Received: 08 Mar 2016 15:22

Reported: 08 Mar 2016 15:42

SDL

Reference Value

Cutoff: 50

Laboratory Notes

1 This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
SDL	Mayo Clinic Laboratories - Rochester Superior Drive	3050 Superior Drive NW, Rochester MN 55901	William G. Morice M.D. Ph.D	24D1040592