



Patient ID SA00141863	Patient Name SAMPLEREPORT, FCOPP N	Birth Date 1981-08-04	Gender M	Age 39
Order Number SA00141863	Client Order Number SA00141863	Ordering Physician CLIENT,CLIENT	Report Notes	
Account Information C7028846 DLMP Rochester		Collected 28 Jan 2021 13:00		

Copper, RBCs

Copper

Y082

None Detected mcg/dL

Reporting Limit: 22 mcg/dL

NMS Labs derived data for 2.5th - 97.5th percentile range is 59–91 mcg/dL (n=1999).

The RBC sample used for analysis was measured by weight and multiplied by the density of human RBC (1.10 g/mL) to obtain mcg/dL units.

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Received: 29 Jan 2021 09:48

Reported: 29 Jan 2021 11:03

Performing Site Legend

Code	Laboratory	Address	Lab Director	CLIA Certificate
Y082	NMS Labs	200 Welsh Road, Horsham, PA 190442208		