

# New York State Department of Health

PFI: 8221

## Clinical Laboratory Permit

CLIA: 24D1040592

Mayo Clinic Laboratories - Rochester Superior Drive

3050 Superior Dr NW

Rochester MN 55901

Director:  
Nikola A Baumann, Ph.D.

Owner:  
Mayo Clinic

is hereby authorized to perform laboratory procedures at the above location in the following categories in accordance with Article 5, Title V, Section 575 of the Public Health Law. This permit shall become void upon a change in the director, owner or location of the laboratory, and an application for a new permit shall be made to the Department.

*Bacteriology*

*Cellular Immunology*

*Leukocyte Function*

*Non-Malignant Leukocyte Immunophenotyping*

*Clinical Chemistry*

*Cytokines*

*Diagnostic Immunology*

*Diagnostic Services Serology*

*Endocrinology*

*Fetal Defect Markers*

*Genetic Testing*

*Biochemistry*  
*(limited to alpha-1 antitrypsin deficiency testing)*

*Hematology*

*Mycology*

*Parasitology*

*Toxicology*

*Blood Lead-Comprehensive*

*Clinical Toxicology-Comprehensive*

*Forensic Toxicology-Comprehensive*

*Trace Elements*

*Ther. Sub. Mon./Quant. Tox.*

*Virology*

Renewal

Effective Date: July 1, 2024

Expiration Date: June 30, 2025

Subject to Revocation

Permit Not Transferable

POST CONSPICUOUSLY

Serial: LAP 191821