

Test Definition: ZW278

Miscellaneous University of Washington Medical Center-Clinical Immunology Lab

Overview

NY State Available

....

Specimen

Specimen Type Varies

Specimen Required

Varies

This is a Miscellaneous Referral Test. For specific requirements, please refer to the referred tests list under the catalog tab on the MCL Website (external) or the Referral Catalog (CRM) (internal). If unable to find the correct test, request forms, or specimen requirements, contact Customer Service at 1-800-533-1710 or 6-5700.

NOTE: Provide when ordering

1. Test name

- 2. Performing lab code
- 3. Specimen Type

4. Required consent and/or requisitions form including patient specific information, i.e. consent forms, clinical information, family history. Please contact Customer Service at 1-800-533-1710 or 6-5700 for required forms.

Specimen Minimum Volume

Varies

Reject Due To

Hemolysis:	NA
Thawing:	NA
Lipemia:	NA
Icterus:	NA
Other:	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Varies	Varies		



Test Definition: ZW278

Miscellaneous University of Washington Medical Center-Clinical Immunology Lab

Clinical & Interpretive

Reference Values

Test Performed by: University of Washington Medical Center-Clinical Immunology Lab 1959 NE Pacific St. Room NW220 Seattle, WA 98195-0001

Performance

PDF Report Referral

Day(s) Performed

Varies

Report Available

Varies

Performing Laboratory Location

University of Washington Medical Center-Clinical Immunology Lab

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

CPT Code Information

Varies

LOINC[®] Information

Test ID	Test Order Name	Order LOINC [®] Value
ZW278	Misc UWCI Clinical Immunology	51991-8
Result ID	Test Result Name	Result LOINC [®] Value
Result ID ZT278	Test Result Name Test Name	Result LOINC [®] Value 19145-2