

Overview

Useful For

Aiding in the diagnosis of giant cell tumor of bone

Reflex Tests

| Test Id | Reporting Name | Available Separately | Always Performed |
|---------|---------------------------|----------------------|------------------|
| IHTOI | IHC Initial, Tech Only | No | No |
| IHTOA | IHC Additional, Tech Only | No | No |

Testing Algorithm

For the initial technical component only immunohistochemical (IHC) stain performed, the appropriate bill-only test ID will be reflexed and charged (IHTOI). For each additional technical component only IHC stain performed, an additional bill-only test ID will be reflexed and charged (IHTOA).

Method Name

Immunohistochemistry (IHC)

NY State Available

Yes

Specimen

Specimen Type

TECHONLY

Ordering Guidance

[This test includes only technical performance of the stain \(no pathologist interpretation is performed\). If diagnostic consultation by a pathologist is required order PATHC / Pathology Consultation.](#)

Mayo Clinic Laboratories has multiple histone immunostains available. See table for ordering guidance.

| Test ID | Published name | Indication | Mayo Clinic slide label |
|---------|---|---------------------------------|-------------------------|
| HG34W | Histone 3.3 G34W (H3F3A G34W) Immunostain, Technical Component Only | Giant cell tumor of bone (GCTB) | H3 G34W |
| HK27M | Histone H3 K27M Mutant (H3 K27M) Immunostain, Technical Component Only | K27M mutant midline gliomas | H3 K27M |
| HISME | Histone H3 Trimethyl K27 Immunostain, | MPNST and | H3 K27me3 |

| | | | |
|-------|---|--------------------------------|---------|
| | Technical Component Only | K27M mutant midline gliomas | |
| HK36M | Histone H3 K36M Mutant (H3F3 K36M) Immunostain, Technical Component Only | Chondroblastom a | H3 K36M |

Shipping Instructions

Attach the green "Attention Pathology" address label (T498) and the pink Immunostain Technical Only label included in the kit to the outside of the transport container.

Specimen Required

Specimen Type: Tissue

Supplies: Immunostain Technical Only Envelope (T693)

Container/Tube: Immunostain Technical Only Envelope

Preferred:

-Formalin-fixed, paraffin-embedded tissue block

OR

-2 Unstained, positively charged glass slides (25- x 75- x 1-mm) per test ordered; sections 4-microns thick

Acceptable: None

Digital Image Access

1. Information on accessing digital images of immunohistochemical (IHC) stains and the manual requisition form can be accessed through this website: <https://news.mayocliniclabs.com/pathology/digital-imaging/>
2. Clients ordering stains using a manual requisition form will not have access to digital images.
3. Clients wishing to access digital images must place the order for IHC stains electronically. Information regarding digital imaging can be accessed through this website: <https://news.mayocliniclabs.com/pathology/digital-imaging/#section3>

Forms

If not ordering electronically, complete, print, and send a [Immunohistochemical \(IHC\)/In Situ Hybridization \(ISH\) Stains Request](#) (T763) with the specimen.

Reject Due To

| | |
|--|--------|
| Wet/frozen tissue Cytology smears Nonformalin fixed tissue Nonparaffin embedded tissue Noncharged slides ProbeOn slides | Reject |
|--|--------|

| | |
|-----------------|--|
| Snowcoat slides | |
|-----------------|--|

Specimen Stability Information

| Specimen Type | Temperature | Time | Special Container |
|---------------|---------------------|------|-------------------|
| TECHONLY | Ambient (preferred) | | |
| | Refrigerated | | |

Clinical & Interpretive

Clinical Information

H3F3A is a member of the histone H3 family and is located on chromosome 1. Histone H3 G34W is expressed in the nuclei of the mononuclear cell population of *H3F3A* altered giant cell tumor of bone (GCTB).

Interpretation

This test does not include pathologist interpretation, only technical performance of the stain. If interpretation is required, order PATHC / Pathology Consultation for a full diagnostic evaluation or second opinion of the case.

The positive and negative controls are verified as showing appropriate immunoreactivity. If a control tissue is not included on the slide, a scanned image of the relevant quality control tissue is available upon request; call 855-516-8404.

Interpretation of this test should be performed in the context of the patient's clinical history and other diagnostic tests by a qualified pathologist.

Cautions

Age of a cut paraffin section can affect immunoreactivity. Stability thresholds vary widely among published literature and are antigen dependent. Best practice is for paraffin sections to be cut within 6 weeks.

The charge of glass slides can be affected by environmental factors and subsequently may alter slide staining. Sending unsuitable glass slides can result in inconsistent staining due to poor slide surface chemistry.

Best practices for storage of positively charged slides:

- Minimize time slides are stored after being unpackaged
- Limit exposure to high humidity and heat
- Minimize exposure to plastics

Clinical Reference

1. Cleven A, Hocker S, Briaire-de Bruijn I, Suzhai K, Cleton-Jansen AM, Bovee JVMG. Mutation analysis of H3F3A and H3F3B as a diagnostic tool for giant cell tumor of bone and chondroblastoma. *Am J Surg Pathol.* 2015;39(11):1576-1583
2. Fernanda A, Bersha F, Ye H, et al. H3F3A (Histone 3.3) G34W immunohistochemistry a reliable marker defining benign and malignant giant cell tumor of one. *Am J Surg Pathol.* 2017;41(8):1059-1068
3. Luke J, Von Baer A, Schreiber J, et al. H3F3A mutation in giant cell tumour of the bone is detected by

immunohistochemistry using a monoclonal antibody against the G34W mutated site of histone H3/3 variant. *Histopathology*. 2017;71(4):125-133

4. Yamamoto H, Iwasaki T, Yuichi Y, et al. Diagnostic utility of histone H3.3 G34W, G34R, and G34V mutant-specific antibodies for giant cell tumors of bone. *Hum Pathol*. 2018;73(3):41-50

5. Magaki S, Hojat SA, Wei B, So A, Yong WH. An introduction to the performance of immunohistochemistry. *Methods Mol Biol*. 2019;1897:289-298. doi:10.1007/978-1-4939-8935-5_25

Performance

Method Description

Immunohistochemistry on sections of paraffin-embedded tissue.(Unpublished Mayo method)

PDF Report

No

Day(s) Performed

Monday through Friday

Report Available

1 to 3 days

Specimen Retention Time

Until staining is complete

Performing Laboratory Location

Rochester

Fees & Codes

Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

Test Classification

This test has been cleared, approved, or is exempt by the US Food and Drug Administration and is used per manufacturer's instructions. Performance characteristics were verified by Mayo Clinic in a manner consistent with CLIA requirements.

CPT Code Information

88342-TC, Primary

Test Definition: HG34W

Histone 3.3 G34W (H3F3A G34W)
Immunostain, Technical Component Only

88341-TC, If additional IHC

LOINC® Information

| Test ID | Test Order Name | Order LOINC® Value |
|---------|--------------------------------|----------------------|
| HG34W | Histone H3 G34W IHC, Tech Only | Order only;no result |

| Result ID | Test Result Name | Result LOINC® Value |
|-----------|--------------------------------|----------------------|
| 604698 | Histone H3 G34W IHC, Tech Only | Bill only; no result |