

# **Test Definition: FSERO**

SeroNeg RAdx3 Profile

## **Overview**

## **Method Name**

**ELISA** 

#### **NY State Available**

Yes

# **Specimen**

## **Specimen Type**

Serum

## **Specimen Required**

**Collection Container/Tube:** 10 mL Red **Submission Container/Tube:** Plastic vial

Specimen Volume: 3 mL

Acceptable: SST

Collection Instructions: Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down and send 3 mL of

serum refrigerated in a plastic vial.

## **Specimen Minimum Volume**

3 mL (volume does NOT allow for repeat testing)

# **Reject Due To**

Gross	Reject
hemolysis:	
Thawing:	Warm OK; Cold OK
Gross lipemia:	Reject
Gross icterus	Reject
Other:	Anything other than serum; bacterial contamination

## **Specimen Stability Information**

Specimen Type	Temperature	Time	Special Container
Serum	Ambient	7 days	
	Refrigerated (preferred)	14 days	
	Frozen	60 days	



# **Test Definition: FSERO**

SeroNeg RAdx3 Profile

## **Clinical & Interpretive**

#### **Clinical Information**

SeroNeg RAdx3 is a diagnostic and prognostic panel for Rheumatoid Arthritis designed to complement traditional RF and Anti-CCP testing. This profile, consisting of 14-3-3 eta protein, Anti-CEP-1 Ab and Anti-Sa Ab, enhances the diagnosis of established or early RA (in individuals seronegative for RF and Anti-CCP Ab) and also helps predict disease severity. Decrease in 14-3-3eta and/or Anti-Sa Ab with treatment is associated with less radiographic progression. The presence of Anti-CEP1 and Anti-CCP Antibodies suggests the imminent progression of pre-clinical RA into clinical RA

#### **Reference Values**

### Interpretation for:

14.3.3 ETA, Rheum. Arthritis:
Reference Range: <0.20 ng/mL
Negative: <0.20 ng/mL
Weak Positive: 0.20-0.39 ng/mL
Moderate Positive: 0.40-0.79 ng/mL
Strong Positive: >0.79 ng/mL

#### Interpretation for:

Anti-CEP-1 Ab, IgG and Anti-Sa Ab, IgG:

Reference Range: <20 Negative: <20 units

Weak Positive: 20-39 units Moderate Positive: 40-80 units Strong Positive: >80 units

### Performance

# **PDF Report**

No

#### Day(s) Performed

Monday through Friday

## **Report Available**

9 to 14 days

#### **Performing Laboratory Location**

**Esoterix Endocrinology** 

#### Fees & Codes



# **Test Definition: FSERO**

SeroNeg RAdx3 Profile

#### **Fees**

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

#### **Test Classification**

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

#### **CPT Code Information**

83520

83516 x2

## **LOINC®** Information

Test ID	Test Order Name	Order LOINC® Value
FSERO	SeroNeg RAdx3 Profile	Not Provided

Result ID	Test Result Name	Result LOINC® Value
Z5779	14.3.3 ETA, Rheum. Arthritis	75880-5
Z5780	Anti-CEP-1 Ab, IgG	96561-6
Z5781	Anti-Sa Ab, IgG	54022-9