

Test Definition: FAGES

Androstanediol Glucuronide (Endocrine Sciences)

Overview

Method Name

High Pressure Liquid Chromatography and Tandem Mass Spectrometry (HPLC/MS-MS)

NY State Available

Yes

Specimen

Specimen Type

Serum

Specimen Required

Collection container/tube: 5 mL Red

Submission Container/Tube: Plastic vial

Specimen Volume: 1 mL

Acceptable: SST

Collection Instructions: Draw blood in a plain red-top tube(s), serum gel tube is acceptable. Spin down and send 1 mL of serum refrigerated in a plastic vial.

Specimen Minimum Volume

0.5 mL (Note: Minimum volume does not allow for repeat analysis)

Reject Due To

Hemolysis	NA
Lipemia	NA
Icterus	NA
Other	NA

Specimen Stability Information

Specimen Type	Temperature	Time	Special Container
Serum	Ambient	6 days	
	Refrigerated (preferred)	6 days	
	Frozen		

Clinical & Interpretive



Test Definition: FAGES

Androstanediol Glucuronide (Endocrine Sciences)

Reference Values

Age	<u>Range</u>
Prepubertal Children	Not Established
Adult Males	112-1046 ng/dL
Adult Females	11-249 ng/dL

Occasionally, normal females with no evidence of hirsutism may have levels well beyond the normal range.

Performance

PDF Report

Day(s) Performed

Monday

Report Available 8 to 19 days

Performing Laboratory Location

Esoterix Endocrinology

Fees & Codes

Fees

- Authorized users can sign in to <u>Test Prices</u> for detailed fee information.
- Clients without access to Test Prices can contact <u>Customer Service</u> 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact <u>Customer Service</u>.

Test Classification

This test was developed and its performance characteristics determined by LabCorp. It has not been cleared or approved by the Food and Drug Administration.

CPT Code Information

82154

LOINC[®] Information

Test ID Test Order Name Order LOINC® Value
--



Test Definition: FAGES

Androstanediol Glucuronide (Endocrine Sciences)

FAGES	Androstanediol Gluc, Endo Sci	1680-8
Result ID	Test Result Name	Result LOINC [®] Value