



Bleeding Diathesis Profile, Limited, Plasma

Test ID: ALBLD

Explanation: Due to a reagent kit change potential reflex test STACL, Staclot LA, P will become obsolete and be replaced by test HEXLA, HEX LA, P

Current Reflex Tests			
Test ID	Reporting Name	Available Separately	Always Performed
GBETH	General Factor Bethesda Units, P	No	No
5BETH	FV Bethesda Units, P	No	No
8BETH	FVIII Bethesda Units, P	No	No
9BETH	FIX Bethesda Units, P	No	No
F8IS	Coag Factor VIII Assay Inhib Scrn,P	No	No
RIST	Ristocetin Cofactor, P	No	No
FACTV	Coag Factor V Assay, P	Yes	No
F_7	Coag Factor VII Assay, P	Yes	No
F_10	Coag Factor X Assay, P	Yes	No
F_11	Coag Factor XI Assay, P	Yes	No
F_12	Coag Factor XII Assay, P	Yes	No
F_2	Coag Factor II Assay, P	Yes	No
F9_IS	Factor IX Inhib Scrn	No	No

New Reflex Tests			
Test ID	Reporting Name	Available Separately	Always Performed
GBETH	General Factor Bethesda Units, P	No	No
5BETH	FV Bethesda Units, P	No	No
8BETH	FVIII Bethesda Units, P	No	No
9BETH	FIX Bethesda Units, P	No	No
F8IS	Coag Factor VIII Assay Inhib Scrn,P	No	No
RIST	Ristocetin Cofactor, P	No	No
FACTV	Coag Factor V Assay, P	Yes	No
F_7	Coag Factor VII Assay, P	Yes	No
F_10	Coag Factor X Assay, P	Yes	No
F_11	Coag Factor XI Assay, P	Yes	No
F_12	Coag Factor XII Assay, P	Yes	No
F_2	Coag Factor II Assay, P	Yes	No
F9_IS	Factor IX Inhib Scrn	No	No

F5_IS	Factor V Inhib Scrn	No	No
F2_IS	Factor II Inhib Scrn	No	No
F7_IS	Factor VII Inhib Scrn	No	No
10_IS	Factor X Inhib Scrn	No	No
11_IS	Factor XI Inhib Scrn	No	No
PNP	Platelet Neutralization Procedure	No	No
PSGN	Plasminogen Activity, P	Yes	No
PAI1	PAI-1 Ag, P	Yes	No
CH9	Chromogenic FIX, P	Yes	No
ATTI	Antithrombin Antigen, P	Yes	No
ATTF	Antithrombin Activity, P	Yes	No
PTMSC	PT Mix 1:1	No	No
APMSC	APTT Mix 1:1	No	No
DRV2	DRVVT Mix	No	No
DRV3	DRVVT Confirmation	No	No
VWFMP	von Willebrand Factor Multimer, P	Yes (order VWFMS)	No
DRV1	Dilute Russells Viper Venom Time, P	Yes (order DRV11)	No
PTFIB	PT-Fibrinogen, P	No	No
SOLFM	Soluble Fibrin Monomer	No	No
RTSC	Reptilase Time, P	Yes	No
A2PI	Alpha-2 Plasmin Inhibitor, P	Yes	No
CHF8	Chromogenic FVIII, P	Yes	No
STACL	Staclot LA, P	No	No

F5_IS	Factor V Inhib Scrn	No	No
F2_IS	Factor II Inhib Scrn	No	No
F7_IS	Factor VII Inhib Scrn	No	No
10_IS	Factor X Inhib Scrn	No	No
11_IS	Factor XI Inhib Scrn	No	No
PNP	Platelet Neutralization Procedure	No	No
PSGN	Plasminogen Activity, P	Yes	No
PAI1	PAI-1 Ag, P	Yes	No
CH9	Chromogenic FIX, P	Yes	No
ATTI	Antithrombin Antigen, P	Yes	No
ATTF	Antithrombin Activity, P	Yes	No
PTMSC	PT Mix 1:1	No	No
APMSC	APTT Mix 1:1	No	No
DRV2	DRVVT Mix	No	No
DRV3	DRVVT Confirmation	No	No
VWFMP	von Willebrand Factor Multimer, P	Yes (order VWFMS)	No
DRV1	Dilute Russells Viper Venom Time, P	Yes (order DRV11)	No
PTFIB	PT-Fibrinogen, P	No	No
SOLFM	Soluble Fibrin Monomer	No	No
RTSC	Reptilase Time, P	Yes	No
A2PI	Alpha-2 Plasmin Inhibitor, P	Yes	No
CHF8	Chromogenic FVIII, P	Yes	No
HEXLA	HEX LA, P	No	No

Questions

Contact Bonnie Meyers, Laboratory Resource Coordinator at 800-533-1710.