

## Combined Mitochondrial Full Genome and Nuclear Gene Panel, Varies

**Test ID:** CMITO

**Explanation:** On the effective date, this assay will no longer accept *any anticoagulant* for the whole blood specimen type and will be limited to the anticoagulants shown below.

Current Specimen Required		New Specimen Required	
<b>Specimen Type:</b>	Whole blood	<b>Specimen Type:</b>	Whole blood
<b>Preferred:</b>	Lavender top (EDTA) or yellow top (ACD)	<b>Required:</b>	Lavender top (EDTA) or yellow top (ACD)
<b>Acceptable:</b>	Any anticoagulant	<b>Specimen Volume:</b>	3 mL
<b>Specimen Volume:</b>	3 mL	<b>Collection Instructions:</b>	1. Invert several times to mix blood 2. Send whole blood specimen in original tube. <b>Do not aliquot.</b>
<b>Collection Instructions:</b>	1. Invert several times to mix blood 2. Send whole blood specimen in original tube. <b>Do not aliquot.</b>	<b>Specimen Stability Information:</b>	Ambient (preferred) 4 days/Refrigerated 14 days
<b>Specimen Stability Information:</b>	Ambient (preferred) 4 days/Refrigerated 14 days	<b>Minimum Volume:</b>	1 mL
<b>Minimum Volume:</b>	1 mL		

### Questions

Contact Michelle Rath, Laboratory Resource Coordinator at 800-533-1710.