

Nuclear Mitochondrial Gene Panel, Next-Generation Sequencing, Varies

Test ID: NMITO

Explanation: On the effective date, this assay will no longer accept *any anticoagulant* for the whole blood specimen type and will be limited to the anticoagulants shown below. Additionally, the Report Available time will be updated.

Current Specimen Required	
Specimen Type:	Whole blood
Preferred:	Lavender top (EDTA) or yellow top (ACD)
Acceptable:	Any anticoagulant
Specimen Volume:	3 mL
Collection Instructions:	1. Invert several times to mix blood 2. Send whole blood specimen in original tube. Do not aliquot.
Specimen Stability Information:	Ambient (preferred) 4 days/Refrigerated 14 days
Minimum Volume:	1 mL

New Specimen Required	
Specimen Type:	Whole blood
Required:	Lavender top (EDTA) or yellow top (ACD)
Specimen Volume:	3 mL
Collection Instructions:	1. Invert several times to mix blood 2. Send whole blood specimen in original tube. Do not aliquot.
Specimen Stability Information:	Ambient (preferred) 4 days/Refrigerated 14 days
Minimum Volume:	1 mL

Current Report Available
28 to 42 days

New Report Available
21-35 days

Questions

Contact Michelle Rath, Laboratory Resource Coordinator at 800-533-1710.