

## Synthetic Glucocorticoid Screen, Random, Urine

**Test ID:** SGSU

### Explanation:

Due to low utilization, 17BFP will be made obsolete on the effective date. As a result, Fluticasone propionate will also be removed from the report for SGSU.

Current Result Codes	
Result ID	Reporting Name
23562	Betamethasone
23563	Budesonide
23564	Dexamethasone
23565	Fludrocortisone
23568	Fluticasone Propionate
23569	Megestrol Acetate
23570	Methylprednisolone
23571	Prednisolone
23572	Prednisone
23574	Triamcinolone Acetonide

New Result Codes	
Result ID	Reporting Name
23562	Betamethasone
23563	Budesonide
23564	Dexamethasone
23565	Fludrocortisone
23569	Megestrol Acetate
23570	Methylprednisolone
23571	Prednisolone
23572	Prednisone
23574	Triamcinolone Acetonide

Current Reference Value
Negative
Cutoff concentrations
Betamethasone: 0.10 mcg/dL
Budesonide: 0.20 mcg/dL
Dexamethasone: 0.10 mcg/dL
Fludrocortisone: 0.10 mcg/dL
Fluticasone propionate: 0.10 mcg/dL
Megestrol acetate: 0.10 mcg/dL
Methylprednisolone: 0.10 mcg/dL
Prednisolone: 0.10 mcg/dL

New Reference Value
Negative
Cutoff concentrations
Betamethasone: 0.10 mcg/dL
Budesonide: 0.20 mcg/dL
Dexamethasone: 0.10 mcg/dL
Fludrocortisone: 0.10 mcg/dL
Megestrol acetate: 0.10 mcg/dL
Methylprednisolone: 0.10 mcg/dL
Prednisolone: 0.10 mcg/dL
Prednisone: 0.10 mcg/dL

Prednisone: 0.10 mcg/dL  
Triamcinolone acetonide: 0.10 mcg/dL

Values for normal patients not taking these synthetic glucocorticoids should be less than the cutoff concentration (detection limit).

Triamcinolone acetonide: 0.10 mcg/dL

Values for normal patients not taking these synthetic glucocorticoids should be less than the cutoff concentration (detection limit).

## Questions

Contact Joshua Yang, Laboratory Resource Coordinator at 800-533-1710.