

Overview

Method Name

Double Immunodiffusion (DID)

NY State Available

Yes

Specimen

Specimen Type

Serum

Specimen Required

Patient Preparation: Patient should be fasting for eight hours to avoid lipemic sample interference.

Specimen Type: Serum

Container/Tube: Red top or SST

Specimen Volume: 1 mL

Collection Instructions: Draw blood in a plain red-top tube, serum gel tube(s) is also acceptable. Separate serum immediately after coagulation (30 minutes) to prevent hemolysis. Send 1 mL of serum frozen in a plastic vial.

Specimen Minimum Volume

0.5 mL

Reject Due To

| | |
|-----------|-------------------------------|
| Hemolysis | Reject |
| Lipemia | Reject |
| Other | Gross bacterial contamination |

Specimen Stability Information

| Specimen Type | Temperature | Time | Special Container |
|---------------|--------------------|---------|-------------------|
| Serum | Frozen (preferred) | 14 days | |
| | Refrigerated | 14 days | |

Clinical & Interpretive

Reference Values

Aspergillus fumigatus Neg: <1:1
Aspergillus flavus Neg: <1:1
Aspergillus niger Neg: <1:1

Performance

PDF Report

No

Day(s) Performed

Monday through Friday

Report Available

4 to 9 days

Performing Laboratory Location

LabCorp Burlington

Fees & Codes

Fees

- Authorized users can sign in to [Test Prices](#) for detailed fee information.
- Clients without access to Test Prices can contact [Customer Service](#) 24 hours a day, seven days a week.
- Prospective clients should contact their account representative. For assistance, contact [Customer Service](#).

CPT Code Information

86606 x 3

LOINC® Information

| Test ID | Test Order Name | Order LOINC® Value |
|---------|-------------------------|--------------------|
| FASAB | Aspergillus Ab, Qn, DID | Not Provided |

| Result ID | Test Result Name | Result LOINC® Value |
|-----------|-----------------------|---------------------|
| Z5651 | Aspergillus fumigatus | 23821-2 |
| Z5652 | Aspergillus flavus | 23820-4 |
| Z5653 | Aspergillus niger | 10894-4 |